

# 10W High LM Downlight (DL106-TC)



## Product Features

- C-Bus 2 compatible
- Adopt anti-glare diffuser
- Made with LM-80 certified SMD LED chips
- Long life-span with low power consumption
- Incl. remote driver and flex cord and plug



## Technical Specification

Model	SE-DL106-TC-WH
Watts	10W
Input Voltage	AC 240V 50/60Hz
LED Chip	SMD LED
Colour Temp.	Tri Color: 3000K /4000K/5700K
Lumens Output	1200lm
CRI	Ra>90
Beam Angle	100°
Size	Ø110* H25mm
Cutout	Ø75-95mm
IP Grade	IP 54
Dimmable	Yes (Triac Dimming)
Housing Colour	White / Black



\* The information in this datasheet may be changed by Everglow Lighting at any time without prior notice.

# 15W High LM Downlight (DL1019-TC)



## Product Features

- C-Bus 2 compatible
- Adopt anti-glare diffuser
- Made with LM-80 certified SMD LED chips
- Long life-span with low power consumption
- Incl. remote driver and flex cord and plug



## Technical Specification

Model	SE-DL1019-TC-WH
Watts	15W
Input Voltage	AC 240V 50/60Hz
LED Chip	SMD LED
Colour Temp.	Tri Color: 3000K /4000K/5700K
Lumens Output	1800lm
CRI	Ra>90
Beam Angle	100°
Size	Ø145* H30mm
Cutout	Ø120-135mm
IP Grade	IP 54
Dimmable	Yes (Triac Dimming)
Housing Colour	White / Black



\* The information in this datasheet may be changed by Everglow Lighting at any time without prior notice.

## 20W High LM Downlight (DL2009-TC)



### Product Features

- C-Bus 2 compatible
- Adopt anti-glare diffuser
- Made with LM-80 certified SMD LED chips
- Long life-span with low power consumption
- Incl. remote driver and flex cord and plug



### Technical Specification

Model	SE-DL2009-TC-WH
Watts	20W
Input Voltage	AC 240V 50/60Hz
LED Chip	SMD LED
Colour Temp.	Tri Color: 3000K /4000K/5700K
Lumens Output	2400lm
CRI	Ra>90
Beam Angle	100°
Size	Ø165* H30mm
Cutout	Ø140-155mm
IP Grade	IP 54
Dimmable	Yes (Triac Dimming)
Housing Colour	White / Black



\* The information in this datasheet may be changed by Everglow Lighting at any time without prior notice.

# 30W High LM Downlight (DL3009-TC)


## Product Features

- C-Bus 2 compatible
- Adopt anti-glare diffuser
- Made with LM-80 certified SMD LED chips
- Long life-span with low power consumption
- Incl. remote driver and flex cord and plug



## Technical Specification

Model	SE-DL3009-TC-WH
Watts	30W
Input Voltage	AC 240V 50/60Hz
LED Chip	SMD LED
Colour Temp.	Tri Color: 3000K /4000K/5700K
Lumens Output	3600lm
CRI	Ra>90
Beam Angle	100°
Size	Ø195* H30mm
Cutout	Ø165-185mm
IP Grade	IP 54
Dimmable	Yes (Triac Dimming)
Housing Colour	White / Black



\* The information in this datasheet may be changed by Everglow Lighting at any time without prior notice.

# 40W High LM Downlight (DL4009-TC)



## Product Features

- C-Bus 2 compatible
- Adopt anti-glare diffuser
- Made with LM-80 certified SMD LED chips
- Long life-span with low power consumption
- Incl. remote driver and flex cord and plug



## Technical Specification

Model	SE-DL4009-TC-WH
Watts	40W
Input Voltage	AC 240V 50/60Hz
LED Chip	SMD LED
Colour Temp.	Tri Color: 3000K /4000K/5700K
Lumens Output	4500lm—4800lm
CRI	Ra>90
Beam Angle	100°
Size	ø230* H40mm
Cutout	ø205-220mm
IP Grade	IP 54
Dimmable	Yes (Triac Dimming)
Housing Colour	White / Black



\* The information in this datasheet may be changed by Everglow Lighting at any time without prior notice.

# 50W High LM Downlight (DL5000-TC)



## Product Features

- C-Bus 2 compatible
- Adopt anti-glare diffuser
- Made with LM-80 certified SMD LED chips
- Long life-span with low power consumption
- Incl. remote driver and flex cord and plug



## Technical Specification

Model	SE-DL5000-TC-WH
Watts	50W
Input Voltage	AC 240V 50/60Hz
LED Chip	SMD LED
Colour Temp.	Tri Color: 3000K /4000K/5700K
Lumens Output	6000lm
CRI	Ra>90
Beam Angle	100°
Size	∅265* H39mm
Cutout	∅230-255mm
IP Grade	IP 54
Dimmable	Yes (Triac Dimming)
Housing Colour	White / Black



\* The information in this datasheet may be changed by Everglow Lighting at any time without prior notice.