


LED GIMMABLE FITTING LIGHT (DL338B)



Technical Specification


Model	SE-DL338B-65-15W (Surface Gimble)
Watts	15W
Input Voltage	AC 100~277V
Power Factor	>0.95
Beam Angle	36°
CCT Selection Dip Switch	3CCT: 3000K + 4000K + 5000K
CRI	Ra>90
Lumens Output	1150-1350lm
Size	Ø65*231mm
Dimming	Triac
IP Grade	IP 20
Housing Colour	White / Black



Installation Procedure

WARNING ⚡

1. Switch off before installation.
2. Switch on only after complete installation and examination of the circuit.
3. Professional electrician for installation and maintenance only.



DIY Design

PD3388-55/65/85/100

TL338-55/65/85/100

PD338A-55/65/85/100

DL3388-55/65/85/100

DL338A-55/65/85/100

DL338-55/65/85/100

ACC-PD3388-55/65/85/100

ACC-TL338-55/65/85/100

ACC-PD338A-55/65/85/100

ACC-DL3388-55/65/85/100

ACC-DL338A-65/85/100

ACC-DL338-55/65/85/100

ACC-DL338A-55

Reflector & White/Black/Golden trim 24°/36°/60°



Honeycomb & White/Black/Golden trim
Will affect lighting angle and have 40% lumen decrease

